



SGPH



SGOH (급유 홈볼이형 With oil grooves)



Material : SUJ2
 Hardness : HRC58~

D	홀수 (개)							
	L	40~	50~	70~	80~	90~	100~	110~
8	2	3	4	5	6	-	-	
10	2	3	4	5	6	-	-	
13	2	3	4	5	6	7	8	
16	2	3	4	5	6	7	8	
20	2	3	4	5	6	7	8	
25	2	3	4	5	6	7	8	


Dm5	R	B	Catalog No.		L
			Type	D	
8	+0.012 +0.006	1.0	10	SGPH	8 40 50 60 70 80
10			10 40 50 60 70 80 90 100		
13	+0.015 +0.007	1.5	16	SGPH	13 40 50 60 70 80 90 100 110 120
16			16 50 60 70 80 90 100 110 120 130 140		
20	+0.017 +0.008	2.0	25	SGPH	20 60 70 80 90 100 110 120 130 140
25			25 70 80 90 100 110 120 130 140		

• 주문방법 Ordering 注文方法


주문예 -
 ORDER **SGPH20** - **100**



SGPR



SGOR (금유 홈붙이형 With oil grooves)



D L	홀수 (개)				
	30~	40~	60~	70~	80~
8	2	3	4	5	6
10	2	3	4	5	6
13	2	3	4	5	6
16	2	3	4	5	6
20	2	3	4	5	6
25	2	3	4	5	6

Material : SUJ2
Hardness : HRC58~

M X I Pitch	D ₁	R	B	Catalog No.		L
				Type	D	
M5 X 12 P0.8	13	1.0	8	SGPR SGOR	8	30 40 50 60 70
	16				10	30 40 50 60 70 80
M6 X 15 P1.0	20	1.5	10		13	40 50 60 70 80 90 100
	23				16	40 50 60 70 80 90 100 110 120
M8 X 20 P1.25	27	2.0	13		20	50 60 70 80 90 100 110 120
	32				16	25

• 주문방법 Ordering 注文方法

주문예 -
ORDER -